



BEST AVAILABLE COPY



Red



Red


Yellow

Blue


Yellow

Blue

BEST AVAILABLE COPY



BEST AVAILABLE COPY




CONFIDENTIAL
FOR EYES ONLY

2
151

BEST AVAILABLE COPY

ALUMINUM
EXTRUSION



[illegible]

BEST AVAILABLE COPY

FIG. 1

BEST AVAILABLE COPY

FIG. 1

BEST AVAILABLE COPY

FIG. 1

BEST AVAILABLE COPY

FIG. 1

101

102

103

104

105

106

107

BEST AVAILABLE COPY

FIG. 1

101

102

103

104

105

106

107

BEST AVAILABLE COPY

FIG. 1

101

102

103

104

105

106

107

BEST AVAILABLE COPY

FIG. 1

101

102

103

104

105

106

107

BEST AVAILABLE COPY

FIG. 1

101

102

103

104

105

106

107

[illegible]

BEST AVAILABLE COPY

FIG. 1



Studio Stitchers
International, Inc.
825 Chicago Avenue
Evanston, IL 60202-2353
Tel: (847) 475-0071
Fax: (847) 475-0254

Project #11352

D.E. Canbana Custom Curved Banner Structure

Assembly Instructions

Custom Curved Banner Structure:


Parts List:

Quantity	Description
2	Tube Sections
7	Curved Spreader Rods
1	Fabric Cover


Note: Follow the diagram at left.

Note: Alpha-numeric labels.

1. Following the alpha-numeric labels, layout connect Tube Sections to each other using buttons at points #1 & 2.
 2. Insert Curved Spreader Rods into their respective holes in tube sections.
 3. **With clean hands and work area**, remove fabric cover from storage bag, and install as shown (see fabric detail at bottom left). Zip closed, first along spreader rods, and then finally around the top perimeter of the structure. **Note Banner is under tension. Work carefully.** Check for smooth and even banner surface.
- The custom curved banner structure is now ready for mounting.



Cover Detail



F I G. 2

BEST AVAILABLE COPY




FIG. 3




FIG. 4




FIG. 5

BEST AVAILABLE COPY




FIG. 6

BEST AVAILABLE COPY